0.				
AUS 3 0 2004 55	SHEET	_1_	OF_	2
E)				

ORM PTO TOTAL	U.S. DEPARTMENT OF COMMERC
PATENT	AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

ATTY, DOCKET NO.	SERIAL NO.
2060-96	10/830,166
APPLICANT FRENCH et al.	
FILING DATE	GROUP ART
April 21, 2004	2855

### U.S. PATENT DOCUMENTS

INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	CLASS	IF APPROP.
1	5,420,424	5/30/1995	Camahan, et al.	250	287	

### FOREIGN PATENT DOCUMENTS

					CUD	TRANSL	ATION
	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	YES	NO
	MOMBEN						
<del></del>							

## OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

A		2	Barnett et al; "Determination of Parts-per-Trillion Levels of Chlorate, Bromate, and lodate by Electrospray ionization/High-Field Asymmetric Waveform Ion Mobility Spectrometry/Mass Spectrometry"; Applied Spectroscopy; (1999) Vol. 53, No. 11; pp. 1367-1374
		3	Camahan et al.; "Development and Applications of a Transverse Field Compensation Ion Mobility Spectrometer"; Mines Selety Appliances Company, (date unknown) 20 pp.
		4	Carnahan et al.; "Field Ion Spectrometry - A New Analytical Technology for Trace Gas Analysis"; /SA; (1996) Paper #96-009; pp. 87-96
		5	Carter et al.; "Emergence of Real Casualties During Simulated Chemical Warfare Training Under High Heat Conditions"; Military Medicine; (December 1985) Vol. 150, No. 12; pp. 657-663
	V	6	Cole; "Heat Stroke During Training with Nuclear, Biological, and Chemical Protective Clothing: Case Report"; Military Medicine, (July 1983) Vol. 148; pp. 624-625
	B	7	DeVol et al.; "Isotopic Analysis of Plutonium Using a Combination of Alpha and Internal Conversion Electron Spectroscopy", Journal of Radioanalytical and Nuclear Chemisty, (2002) Vol. 254, No. 1; pp. 71-79

		16-				
EXAMINER	W 4100	DATE CONSIDERED	8-4-05			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.						

I:\2060\-96\IDS1449002.wpd

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

ATTY. DOCKET NO. 2060-96

APPLICANT FRENCH et al.

FILING DATE April 21, 2004

GROUP ART 2855

DeVol et al.; 'Extractive Scintillating Resin for **Tc Quantification in Aqueous Solutions' Journal of Radioanalytical and Nuclear Chemistry. (2001) Vol. 249, No. 1; pp. 181-189  9 Guerremont et al.; 'Atmospheric Pressure Ion Focusing in a High-Field Asymmetric Waveform Ion Mobility Spectrometer'; Review of Scientific Instruments; (February 1999) Vol. 70, No. 2; pp. 1370-1383  10 Guevremont et al.; 'High Field Asymmetric Waveform Ion Mobility Spectrometry-Mass Spectrometry: An Investigation of Leucine Enkephalin Ions Produced by Electrospray Ionization'; American Society for Mass Spectrometry, (1999) Vol. 10; pp. 492-501  11 Guevremont et al.; 'Ion Trapping at Atmospheric Pressure (760 Torr) and Room Temperature with a High-Field Asymmetric Waveform Ion Mobility Spectrometer; Elsevier Science, International Journal of Mass Spectrometry, (1999) Vol. 193; pp. 495-66  12 Hughes et al.; 'On-line Gross Alpha Radiation Monitoring of Natural Waters with Extractive Scintillating Resins' Elsevier Science, Nuclear Instruments and Methods in Physics Research, Section A. (2003) 505; pp. 435-438  13 Matthew et al., 'Integration of a Heat Strain Prediction Model with Army Weather Data Resources'; U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485  14 Matthew et al., 'Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace'; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  15 Miller et al.; 'A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection'; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  16 Purves et al.; 'Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry'; Analytical Chemistry, (July 1, 1999) Vol. 71; pp. 2345-2357  17 Purves et al.; 'Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometry'; Preside Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; 'A Field-Coherence Te			
of Scientific Instruments; (February 1999) Vol. 70, No. 2: pp. 1370-1383  10 Guevremont et al.; 'High Field Asymmetric Waveform Ion Mobility Spectrometry-Mass Spectrometry; (1999) Vol. 10; pp. 492-501  11 Guevremont et al.; 'Ion Trapping at Atmospheric Pressure (760 Torr) and Room Temperature with a High-Field Asymmetric Waveform Ion Mobility Spectrometer'; Elsevier Science, International Journal of Mass Spectrometry; (1999) Vol. 193; pp. 45-56  12 Hughes et al.; 'On-line Gross Alpha Radiation Monitoring of Natural Waters with Extractive Scintillating Resins' Elsevier Science, Nuclear Instruments and Methods in Physics Research, Section A. (2003) 505; pp. 435-438  13 Matthew et al., 'Integration of a Heat Strain Prediction Model with Army Weather Data Resources': U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485  14 Matthew et al., 'Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace'; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  15 Miller et al.; 'A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection'; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  16 Purves et al.; 'Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry - Mass Spectrometry'; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  17 Purves et al.; 'Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer'; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; 'Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment'; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; 'A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation'; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316		8	
Enkephalin tons Produced by Electrospray Ionization", American Society for Mass Spectrometry, (1999) Vol. 10; pp. 492-501  11 Guevremont et al.; "Ion Trapping at Atmospheric Pressure (760 Torr) and Room Temperature with a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Elsevier Science, International Journal of Mass Spectrometry, (1999) Vol. 193; pp. 45-56  12 Hughes et al.; "On-line Gross Alpha Radiation Monitoring of Natural Waters with Extractive Scintillating Resins" Elsevier Science, Nuclear Instruments and Methods in Physics Research, Section A, (2003) 505; pp. 435-438  13 Matthew et al., "Integration of a Heat Strain Prediction Model with Army Weather Data Resources"; U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485  14 Matthew et al., "Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  15 Miller et al.; "A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection"; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  16 Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry"; Analytical Chemistry, (July 1, 1999) Vol. 71; pp. 2346-2357  17 Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316		9	Guevremont et al.; "Atmospheric Pressure Ion Focusing in a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (February 1999) Vol. 70, No. 2; pp. 1370-1383
Waveform Ion Mobility Spectrometer'; Elsevier Science, International Journal of Mass Spectrometry; (1999) Vol. 193; pp. 45-56  Hughes et al.; "On-line Gross Alpha Radiation Monitoring of Natural Waters with Extractive Scintillating Resins" Elsevier Science, Nuclear Instruments and Methods in Physics Research, Section A. (2003) 505; pp. 435-438  Matthew et al., "Integration of a Heat Strain Prediction Model with Army Weather Data Resources"; U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485  Matthew et al., "Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  Miller et al.; "A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection"; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry". Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434  Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		10	Guevremont et al.; "High Field Asymmetric Waveform Ion Mobility Spectrometry-Mass Spectrometry: An Investigation of Leucine Enkephalin Ions Produced by Electrospray Ionization"; American Society for Mass Spectrometry; (1999) Vol. 10; pp. 492-501
Nuclear Instruments and Methods in Physics Research, Section A. (2003) 505; pp. 435-438  13 Matthew et al., "Integration of a Heat Strain Prediction Model with Army Weather Data Resources"; U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485  14 Matthew et al., "Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  15 Miller et al.; "A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection"; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  16 Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry"; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  17 Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434	•	11	Guevremont et al.; "Ion Trapping at Atmospheric Pressure (760 Torr) and Room Temperature with a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Elsevier Science, International Journal of Mass Spectrometry; (1999) Vol. 193; pp. 45-56
Environmental Medicine, (date unknown) pp. 479-485    Matthew et al., "Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660    15   Miller et al.; "A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection"; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318    16   Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry"; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357    17   Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105    18   Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198    19   Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316    20   Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434		12	Hughes et al.; "On-line Gross Alpha Radiation Monitoring of Natural Waters with Extractive Scintillating Resins" Elsevier Science, Nuclear Instruments and Methods in Physics Research, Section A, (2003) 505; pp. 435-438
Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660  Miller et al.; "A MEMS Radio-Frequency Ion Mobility Spectrometer for Chemical Vapor Detection"; Elsevier Science, Sensors and Actuators, Section A; (2001) 91; pp. 307-318  Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry - Mass Spectrometry"; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434  Tanrikulu et al.: "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		13	Matthew et al., "Integration of a Heat Strain Prediction Model with Army Weather Data Resources"; U.S. Army Research Institute of Environmental Medicine, (date unknown) pp. 479-485
Actuators, Section A; (2001) 91; pp. 307-318  16 Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry - Mass Spectrometry"; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  17 Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434		14	Matthew et al., "Integration of Weather Effects Models with Real-Time Physiological Measurements in the Dismounted Infantry Battlespace"; U.S. Army Research Institute of Environmental Medicine; (date unknown) pp. 653-660
Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357  17 Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology, (March 1994) Vol. 33, pp. 416-434  21 Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		15	
Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105  18 Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology, (March 1994) Vol. 33, pp. 416-434  21 Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		16	Purves et al.; "Electrospray Ionization High-Field Asymmetric Waveform Ion Mobility Spectrometry - Mass Spectrometry"; Analytical Chemistry; (July 1, 1999) Vol. 71; pp. 2346-2357
Vol. 19, No. 3; pp. 187-198  19 Stauffer et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part I: Description and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434  21 Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		17	Purves et al.; "Mass Spectrometric Characterization of a High-Field Asymmetric Waveform Ion Mobility Spectrometer"; Review of Scientific Instruments; (December 1998) Vol. 69, No. 12; pp. 4094-4105
and Interpretation"; Journal of Applied Meteorology, (March 2000) Vol. 39; pp. 297-316  20 Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology, (March 1994) Vol. 33, pp. 416-434  21 Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		18	Santee et al.; "Effects of Meteorological Parameters on Adequate Evaluation of the Thermal Environment"; J. Therm. Biol.; (1994) Vol. 19, No. 3; pp. 187-198
NA 21 Tanrikulu et al.: "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		19	
NA 21 Tanrikulu et al.: "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in		20	Stauffer et al.; "Multiscale Four-Dimensional Data Assimilation"; Journal of Applied Meteorology; (March 1994) Vol. 33, pp. 416-434
		21	Tanrikulu et al.; "A Field-Coherence Technique for Meteorological Field-Program Design for Air Quality Studies. Part II: Evaluation in

EXAMINER	AD DEO	DATE CONSIDERED	8-5-05	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

j <u>s</u>	2 uhefihih	· . e for form	1449A/PTO				Comple	ate if Knawn	
Ĭ	uwo	/ Non-toning	INDAF (U			Application Num	iber	10/830,168	
1	NFO	RMA"	TION DIS	CLOSU	RE [	Filing Date		April 21, 2004	
			NT BY A			First Named Inv	entor	FRENCH, Patrick	
			,,,	, <b></b>		Art Unit		2855	
						Examiner Name	)		
Sheet		1	of 1		1	Altorney Docket	Number	2060-96	
									_
Examiner	Cita		locument Number	Pu	PATENT DOC		Patentes of	To Caluman Lines Whee	
initials*	No.1	Numb	ber-kind Cods * ***	₹ .×	AM-DD-YYYY		Ciled Document	Pages, Columna, Unea, Where Relevant Passages or Relevan Figures Appear	น้
<u> </u>	1.	US-6,0	097,703	0	8-01-2000	Larse	en et al.	,	
			···_						
					<del></del>	1			
							-		
						1		1	
			•			1			
	<del>                                     </del>					-		<del>                                     </del>	<del></del>
	<del> </del>	<del> </del>			<u> </u>	+		<del> </del>	<del>-</del> -
								<u> Time</u>	
<del></del>			<del></del>						
Eleminor	Cite		Encolor Patent Dec		GN PATENT D			Anna Gallana Mana Milana	T.,
initials*	No.'		Foreign Petent Doc do <sup>1</sup> , Number <sup>2</sup> , Kind Co		Publication Date MM-DD-YYYY		Patentae or Sted Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T*
		·	- [					•	1
			-					•	
			-						
	$ldsymbol{ldsymbol{ldsymbol{eta}}}$	<u> </u>	<u>-   </u>						$\mathbb{L}$
		<del></del>	<u>-   </u>	***************************************	<u> </u>				
		<u> </u>			ļ				丄
		<u> </u>	<u>·                                     </u>		<u> </u>				丄
		•							
			OTHER A	RT (Including	g Author, Title,	Date, Pertiner	nt Pages, etc	:.)	
	Ciba		•						
Examiner initials*	No.'							· · · · · · · · · · · · · · · · · · ·	
	No.	<u> </u>							
	No.								
	No.								

\*EXAMINER: Initial if reference is considered, whether or not citation is in conformance and not considered. Include copy of this form with next communication to applicant.

Mr. 5 3 Jan P. F.

SHEET	1	OF	1

<b>FORM</b>	PTO	-1449

## U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

# INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

ATTY. DOCKET NO. 2060-96	SERIAL NO. 10/830,166	
APPLICANT FRENCH et al.		
FILING DATE	GROUP ART	

#### U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE IF APPROP.

#### FOREIGN PATENT DOCUMENTS

			SUB	TRANSLATION		
DOCUMENT NUMBER	DATE	COUNTRY	CLASS	CLASS	YES	NO

## OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

A	1	Award/Contract No. DAMD17-00-C-0010; Issued by U.S. Army Medical Research Acquisition Activity, Director, 820 Chandler Street, Fort Detrick, MD 21702-5014; Contractor: Martin J. Mastroianni, VP, Technology Programs, ADA Technologies, Inc., 304 Inverness Way South, Suite 365, Englewood, CO 80112, December 17, 1999; 36 pp.
W	2	Technical Abstract - SBIR Phase II Project; 2000; 1 p
AS	3	Weather Station Phase I Published Abstract; 2000; 1 p

EXAMINER	DO DEO	DATE CONSIDERED	8-4-05

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

4 fellat

SHEET	1	OF	2	

FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)

ATTY. DOCKET NO. 2060-96	SERIAL NO. Not Yet Assigned
APPLICANT FRENCH et al.	
FILING DATE	GROUP ART

#### **U.S. PATENT DOCUMENTS**

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME .	CLASS	SUB CLASS	FILING DATE IF APPROP.
A	1.	4,360,345	11/23/82	Hon	434	262_	
	2.	4,530,069	07/16/85	Desrochers	364	900	
	3.	4,654,818	03/31/87	Wetterau, Jr.	364	900	
	4.	4,695,955	09/22/87	Faisandier	364	413	
	5.	4,715,385	12/29/87	Cudahy et al.	128	710	
	6.	4,730,247	03/08/88	Takahara	364	560	
	7.	4,758,963	07/19/88	Gordon et al.	364	481	
	8.	4,811,249	03/07/89	Marsh	364	550	
	9.	4,885,707	12/05/89	Nichol et al.	364	551.01	
	10.	4,895,161	01/23/90	Cudahy et al.	128	710	
	11.	4,916,441	04/10/90	Gambrich	340	712	
	12.	4,924,418	05/08/90	Bachman et al.	364	550	
	13.	5,008,843	04/16/91	Poelsler et al.	364	571.02	
	14.	5,089,979	02/18/92	McEachern et al.	364	571.04	
	15.	5,099,437	03/24/92	Weber	364	550	1
			04/13/93	Koenck et al.	361	393	
	16.	5,202,817		<del></del>	364	550	
	17.	5,206,818	04/27/93	Speranza		1	
	18.	5,225,996	07/06/93	Weber	364	550	7 9 9
- 1/	19.	5,227,988	07/13/93	Sasaki et al.	364	709.01	
- X	20.	5,249,863	10/05/93	Brown	374	102	
H	21.	5,347,476	09/13/94	McBean, Sr.	364	571.04	<u> </u>

EXAMINER	A	JW)	DATE CONSIDERED	8-5-05	
*FYAMINER	nitial if reference co	posidered whether or not citation is in conform	nance with MPEP 609: Draw li	ne through citation if not in conformance and	

not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTY, DOCKET NO. 2060-96	SERIAL NO. Not Yet Assigned
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	APPLICANT FRENCH et al.	
	FILING DATE Herewith	GROUP ART

MA.	22.	5,375,604	12/27/94	Kelly et al.	128	671	
W.	23.	5,526,287	06/11/96	French	364	550	
MA.	24.	5,839,094	11/17/98	French	702	091	
	1						

#### FOREIGN PATENT DOCUMENTS

				SUB	TRANSLATION			
M		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	CLASS	YES	NO
#	25.	WO 96/01411	01/18/96	PCT	G01B	21/00	х	

## OTHER ART (Including Author, Title, Date, Pertinent Pages, etc.)

. 4	26.	Omegg Engineering Sales Literature for Portable dataloggers, pp. F-83 to F-90 & F-97, 1991.
	27.	Sales literature, Rustrak Ranger II Data Logger, July 1990.
	28.	Sales literature, Philip Harris, 1992.
	29.	DOE Abstract for DOE Grant No. DE-FG02-93ER81585, November 1992.
	30.	Sales literature, Texas Instruments, January 1994.
	31.	Sales literature, Micro Data Logger, 1993.
	32.	ADA Technologies, Inc., "Abstracts," Vol. XIII, No. 1 (Spring 2003), pp. 1-6.
	33.	"Meteorological Instrumentation," Environmental Protection (printed 4/20/04), available at http://www.eponline.com/Stevens/EPPub.nsf/ProductView2?OpenForm&category=Meteo, pp. 1-3.
· At	34.	Climatronics Corporation Sales Literature, "TACMET II Weather Sensor (EMI), 102304," (Mar. 18, 2003), 2 pages.

EXAMINER A DE	DATE CONSIDERED	8-5-05	

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.